

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 1/10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: **Quick Detail Spray**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: car care product

Uses advised against: undefined

1.3. Details of the supplier of the safety data sheet

Manufacturer:

LIPORT Wojciech Liszega
ul. Krasickiego 2a/73
81-385 Gdynia

Production facility:

Leśna 8
83-010 Straszyn

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3

H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008

Signal word None

Pictograms None

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

General

P102 Keep out of reach of children.

Prevention

P273 Avoid release to the environment.

Response

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Storage

None

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 2/10

Removal

P501 Dispose of contents/container to properly labeled waste containers in accordance with local regulations.

Supplemental information

EUH208 Contains d-limonene, 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Ingredients content according to regulation 648/2004 / EC

Perfumes (LIMONENE, LINALOOL)
preservation agents (2-BROMO-2-NITROPROPANE-1,3-DIOL, METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE)

2.3. Other hazards

This mixture does not contain substances that meet the criteria for PBT or vPvB in accordance with Annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Name of substance	Identifier	Classification 1272/2008	% weight
Ethanol ^{[1][2]}	Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Reg. no. REACH: 01-2119457610-43-XXXX	Flam. Liq. 2 Eye Irrit. 2	H225 H319 2 - 3
d-limonene [(R)-p-mentha-1,8-diene]	Index: 601-029-00-7 CAS: 5989-27-5 EC: 227-813-5 Reg. no. REACH: 01-2119529223-47-XXXX	Flam. Liq. 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H315 H317 H400 H410 0,3 – 0,5
Citral	Index: 605-019-00-3 CAS: 5392-40-5 EC: 226-394-6 Reg. no. REACH: 01-2119462829-23-XXXX	Skin Irrit. 2 Skin Sens. 1B Eye Irrit. 2	H315 H317 H319 ≤ 0,01
2-octyl-2H-isothiazol-3-one ^[1] inhalation: ATE = 0.27 mg/L (dusts/mists) dermal: ATE = 311 mg/kg (-) oral: ATE = 125 mg/kg (-)	Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7	Acute Tox. 3 Acute Tox. 3 Skin Corr. 1B Eye Dam. 1 Skin Sens. 1 Acute Tox. 2 Aquatic Acute 1 Aquatic Chronic 1 EUH071 M=100 M(Chronic)=100	H301 H311 H314 H318 H317 H330 H400 H410 0,0001 - <0,00025

Notes

The full meaning of the risk phrases H included in the chapter 16

^[1] Specific concentration limits

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 3/10

Etanol: Eye Irrit. 2; : C ≥ 50 %

2-octyl-2H-isothiazol-3-one: Skin Sens. 1A: C ≥ ,0015 %

^[2] Substances for which there are national occupational exposure limit values

^[3] Substances for which there are Union workplace exposure limits

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air and keep comfortable for breathing.

Ensure warmth and calm.

Provide medical assistance if necessary.

Ingestion

Do not induce vomiting.

Rinse mouth.

If unconscious – do not give the person anything to swallow.

Transport the injured person to a hospital if necessary.

Eye contact

Remove contact lenses.

Rinse contaminated eyes with lukewarm water for 10-15 minutes with the eyelids rolled back. Avoid strong water stream due to the risk of mechanical damage to the cornea.

Provide medical assistance if necessary.

Skin contact

Remove contaminated clothing immediately.

Clean contaminated skin, wash with plenty of water, then wash with water and mild soap.

If skin irritation persists, consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

First aid supplies should be available on the workplace premises.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Fire-fighting foam, carbon dioxide CO₂, fire-extinguisher powders, dispersed water

Unsuitable extinguishing media

Do not direct dense jets of water onto the surface of a burning product.

5.2. Special hazards arising from the substance or mixture

Combustion products

Toxic thermal decomposition products, as well as carbon monoxide and carbon dioxide (CO_x).

Explosive mixtures

Not applicable

5.3. Advice for firefighters

Use standard firefighting methods for extinguishing chemical fires.

Use water to cool containers exposed to high temperatures, and if possible, remove them from the area affected.

Use water spray jets to disperse vapours.

Fire-fighter protective equipment

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 4/10

Full personal protective equipment.
Self-contained breathing equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with eyes and skin. Wear appropriate protective equipment. Remove all sources of ignition. Keep all persons not equipped with personal protection equipment away. In case of a discharge of a significant volume of the mixture, warn its users and order all bystanders to leave the contaminated area.

Risk of slipping on spilt product.

6.2. Environmental precautions

Prevent environmental contamination.

Protect drains.

In case of serious contamination of soil, watercourse or sewage system, notify the appropriate authorities.

6.3. Methods and material for containment and cleaning up

Secure any damaged packaging.

Ventilate the area affected and avoid inhaling vapours.

Collect with absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite).

Place all contaminated mass collected in a substitute container and send it for disposal in accordance with the local regulations.

Rinse the contaminated surface with plenty of water.

6.4. Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Recommendations for handling the mixture

Provide adequate ventilation.

Avoid contact with eyes and skin.

Avoid inhaling product vapours/spray.

General industrial health and safety regulations

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Replace contaminated clothing.

Wash contaminated clothing before reusing.

7.2. Conditions for safe storage, including any incompatibilities

Storage rooms must be ventilated.

Keep container tightly closed.

Store in a dry and cool place.

Keep only in the original container.

Keep away from sunlight, as well as heat and ignition sources.

Do not store together with foodstuffs and animal feed.

Read the safety data sheet.

7.3. Specific end use(s)

No data available

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 5/10

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace

Name of the chemical agent	CAS	Limit values				Comments
		Long-term		Short-term		
		ppm	mg/m ³	ppm	mg/m ³	
Ethanol	64-17-5	1000	1920	-	-	--

DNEL

Ethanol

Workers, long-term exposure, systemic effects, skin: 343 mg / kg bw
Workers, long-term exposure, systemic effects, inhalation: 950 mg / m³
Workers, short-term exposure, systemic effects, skin: 1900 mg / kg bw
Consumers, long-term exposure, systemic effects, skin: 206 mg / kg bw
Consumers, long-term exposure, systemic effects, inhalation: 114 mg / cm³
Consumers, long-term exposure, systemic effects, orally: 87 mg / kg bw
Consumers, short-term, systemic exposure, skin: 950 mg / kg bw / day
Consumers, short-term exposure, systemic, skin: 850 mg / kg bw / day

PNEC

Ethanol

Fresh water: 0.96 mg / l
Sea water: 0.79 mg / l
Fresh water sediment: 3.6 mg / kg
Microorganisms in sewage treatment: 580 mg / l
Sewage treatment plant (STP): 2.75 mg / l
Soil: 0.63 mg / kg

8.2. Exposure controls

Appropriate engineering controls

Workstations and storage rooms must be well ventilated to keep the vapour concentrations in the air below their limit values.

Individual protection measures



Eye or face protection

Use safety goggles compliant with the EN 166 standard.

Skin protection



Hand protection

Use chemical-resistant protective gloves compliant with the EN 374 standard.
Select glove material based on breakthrough time, rate of penetration and degradation.
It is recommended to change gloves regularly and immediately replace them if they have any signs of wear, damage (tears, holes) or their appearance changes (colour, flexibility, shape).

Body protection

Suitable protective clothing.

The type of protective equipment must be selected based on the quantity and concentration of hazardous

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 6/10

substances in the given work environment.

Respiratory protection

If proper ventilation is provided, respiratory protection equipment is not required.

In case of hazard due to the mixture vapours levels exceeding allowable levels in the air (e.g. due to ventilation failure), wear respiratory protection equipment.

Environmental exposure controls

Do not discharge into drains and groundwater.

General health and safety guidelines

Follow good personal hygiene practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	No data available
Odour	Characteristic for the fragrance used
Melting point/freezing point	No data available
Boiling point or initial boiling point and boiling range	No data available
Flammability	No data available
Lower and upper explosion limit	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
pH	No data available
Kinematic viscosity	No data available
Solubility	No data available
Partition coefficient n-octanol/water (log value)	No data available
Vapour pressure	No data available
Density and/or relative density	No data available
Relative vapour density	No data available
Particle characteristics	No data available

9.2. Other information

Information with regard to physical hazard classes	No data available
Other safety characteristics	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is not chemically reactive if stored and used under proper conditions.

10.2. Chemical stability

The mixture is chemically stable if stored and used under proper conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Avoid high temperatures, direct sunlight, hot surfaces and open flames. Protect against frost.

10.5. Incompatible materials

No data available

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 7/10

10.6. Hazardous decomposition products

Not present when handled as intended.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Ethanol

DL100 for an adult person is on average 7-8 g / kg bw

LDLO (oral, human): 6000 mg / kg

LDLO (orally, rat): 7,060 mg / kg bw

LC50 (fish):> 10000 mg / l

Chronic toxicity

LD50 (Oral, rat): 6.2 - 15g / kg bw LC50 (inhalation, rat):> 50 mg / l (4h)

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No data

Other information

No data

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Ethanol

Fish: 9,000 mg / dm³ / 24 hours

EC50 Carassius auratus: 0.25 cm³ / dm³ / 6 hours

Crustaceans: EC50 Daphnia magna: 7800 mg / dm³

Bacteria EC50: Pseudomonas putida: 6500 mg / dm³

IC50 Scenedesmus quadricauda algae: 5000 mg / dm³

Microcystis aeruginosa EC50: 1450 mg / dm³

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 8/10

12.2. Persistence and degradability

Surfactants used in the product meet the biodegradability requirements in accordance with Regulation (EC) no 648/2004/EC as amended.

Ethanol

The product is readily biodegradable BOD20 = 84%

The substance is readily biodegradable in sewage treatment installations.

12.3. Bioaccumulative potential

Ethanol

Low tendency to bioaccumulation.

logKow <4.5

Toxicity: chronic, aquatic organisms (LC50 and EC50) > 0.1 mg / l.

12.4. Mobility in soil

No data

12.5. Results of PBT and vPvB assessment

This mixture does not contain substances that meet the criteria for PBT or vPvB in accordance with Annex XIII.

12.6. Endocrine disrupting properties

No data

12.7. Other adverse effects

No data

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with current regulations.

Hand over any used packaging to an authorised company for disposal or reuse.

Do not release into the environment.

SECTION 14: Transport information

14.1. UN number or ID number	not applicable
14.2. UN proper shipping name	not applicable
14.3. Transport hazard class(es)	not applicable
Label no. :	not applicable
14.4. Packing group	not applicable
14.5. Environmental hazards	No
14.6. Special precautions for user	not applicable
14.7. Maritime transport in bulk according to IMO instruments	not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (REACH).
- REGULATION (EC) No 1907/2006 OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 9/10

1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

- COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

15.2. Chemical safety assessment

No mixture chemical safety assessment has been carried out.

SECTION 16: Other information

Full text of H-phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification procedures according to Regulation (EC) 1272/2008

Classification based on calculation procedure.

Abbreviations and Acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

PP: Severe Marine Pollutant

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Note to readers

The product described in the safety data sheet should be stored and used in accordance with good industrial practices and in compliance with all applicable legal regulations.

The information contained in the safety data sheet is based on the current state of knowledge and is intended to describe the product in terms of health, safety and environmental regulations. It should not be considered a guarantee of any specific product properties.

We cannot make any representations or warranties regarding the accuracy or completeness of any information provided or the quality or specifications of any products, substances or mixtures discussed herein.

The user is responsible for creating conditions for the safe use of the product and for the consequences of its misuse.

Przedsiębiorstwo EKOS S.C.

80-177 Gdańsk, ul. Lubczykowa 5,

ekos@ekos.gda.pl

SAFETY DATA SHEET

according to Regulation (EU) 2020/878 of 18 June 2020

Quick Detail Spray

Date of compilation: 01.06.2021

Revision:

Page: 10/10

www.ekos.gda.pl